
Guidelines for the use of the RGI Logo

Under the 2006 Energy (Miscellaneous Provisions) Act, the Commission for Energy Regulation (CER) has responsibility for regulating the activities of natural gas installers from a safety perspective. In accordance with the Act, the CER has appointed the Register of Gas Installers of Ireland (RGII) to operate as the Gas Safety Supervisory Body and to carry out this safety function on behalf of the CER. Bord Gáis Éireann has assigned the Registered Gas Installers logo (the RGI Logo) to the CER. At all times the RGI Logo is the property of the CER and incorrect use must be corrected without delay by the user. Only RGII members are permitted by the CER to use the RGI Logo.

From June 26th 2009, all natural gas installers must be registered with the RGII in order to carry out domestic natural gas works. It will be an offence for any person to carry out domestic natural gas works unless they are a Registered Gas Installer with RGII.

The following guidelines provide the conditions for use of the RGI Logo. The RGI Logo is essentially your seal of approval that you operate to the recognised industry standards. If you have any queries with regard to the permitted use of the RGI Logo or would like further information, please refer to www.rgii.ie or www.cer.ie.

1. Introduction

- 1.1. This document sets out the conditions governing the use of the RGI Logo.
- 1.2. These conditions shall be met by all Registered Gas Installers.
- 1.3. The Commission for Energy Regulation will keep under review and may amend these conditions of use of the RGI Logo from time to time.

2. Use of the RGI Logo

- 2.1. Only Registered Gas Installers are entitled to use the RGI Logo in connection with the promotion and provision of the Registered Gas Installer's services on business documentation, including stationary and electronic media, and/or vehicles.
- 2.2. The RGI Logo is the property of the Commission for Energy Regulation and must be used in accordance with the Registered Gas Installer Rules of Registration and these conditions of use.
- 2.3. Incorrect or inappropriate applications of the RGI Logo must be corrected without delay by the RGI. Any misuse of the RGI Logo should be reported to the Commission for Energy Regulation immediately, Tel: 01 4000 800.
- 2.4. On revocation or withdrawal of registration, the company/sole trader shall immediately cease to issue documentation or literature in print or electronically, displaying the RGI Logo or implying in any way that they continue to be a Registered Gas Installer.

3. Reproduction of RGI Logo.

3.1. Use of Colour

The RGI Logo may be produced in the specified colours only. The RGI Logo colours are: Blue: PMS 3015, Red: PMS 704, Light Blue: PMS 290.

Colours should not be substituted for one another or for any other colour.

Should these three colours not be available then the RGI Logo should be reproduced in black.

In single colour printing, the RGI Logo must be reproduced in black.

3.2. Size of Logo

The RGI Logo may be printed in any size above the minimum size of 15mm in width, provided it is legible and proportional to the specimens in the illustrations shown in this document. The RGI Logo must not be more than 50% of the main company logo.

3.3. Logo Size Guide

Smallest size anywhere: **15mm**

Largest size: **50% of the main company logo**

3.4. RGI Logo in Conjunction with Company Logo and other Accreditations

The RGI logo must not be more than 50% of the main company logo. Other accreditations should not be more prominent than the RGI logo. The logo of the Gas Safety Supervisory Body (RGII) should not be more prominent than the RGI Logo.

3.5. Number of Times of Use

The RGI Logo may only be used once per page of stationary, van side or other items.

3.6. Correct use of Logo in Reverse

When the RGI Logo appears in reverse i.e. on a coloured background, the lettering must always appear on a white background.

3.7. Van Applications

The RGI Logo may be applied to any vehicle regardless of its paint colour. However, the RGI Logo lettering must always be on a white background enclosed within the entire shape of the rectangle and the gas flame motif.

Please refer to section 3.6, "Correct use of Logo in Reverse," with the reverse colour being the body of the vehicle.

4. RGI Logo Artwork

- 4.1. All RGI Logo files and required artwork have been provided on the CD attached for your convenience.

Further Clarification

Any queries relating to the RGI Logo or its use can be forwarded to:

Safety Team,
Commission for Energy Regulation,
The Exchange,
Belgard Square North,
Dublin 24.

Tel: +353 1 4000 800 Fax: +353 1 4000 850

Email: info@cer.ie